

# Step 2 – Your Master Plan

Use this planning worksheet to determine what specific improvements you would like to make overall in your home and on a room-by-room basis. Then go to Step 3 – ‘Your room-by-room product specification checklist’ to select the specific solutions and products to use to achieve these improvements. This can become your personal ‘Renovation Plan’ or a good starting point to take to your designer. Refer to the appropriate sections of the ‘Your Renovation’ guide for more information on each of the specific sections below.

| IMPROVEMENT REQUIRED                      | TICK WHICH ROOMS IN YOUR HOME YOU WOULD LIKE TO MAKE THIS IMPROVEMENT IN |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
|---|--|----------|---------|---------|---------|----------------|-----------|-----------|-----------|--------|--------|--------|-------------|--------------|------------------|--------|
|   | WHOLE HOUSE  | BATHROOM | ENSUITE | KITCHEN | LAUNDRY | MASTER BEDROOM | BEDROOM 1 | BEDROOM 2 | BEDROOM 3 | LOUNGE | DINING | RUMPUS | HOME CINEMA | STUDY/OFFICE | HALLWAY/STAIRWAY | GARAGE |
| <b>DESIGN AND LAYOUT</b>                  |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| INTERIOR LAYOUT AND FLOW IMPROVEMENT      |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| - Open plan living areas                  |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| - Change of room usage                    |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| INDOOR/OUTDOOR FLOW IMPROVEMENT           |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| MODERNISATION OF ROOM FUNCTIONALITY       |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| EXTRA ROOMS                               |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| EXTRA STORAGE/WARDROBES                   |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| COMMENTS:                                 |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| <b>APPEARANCE/LONG LASTING GOOD LOOKS</b> |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| ROOMS REQUIRING IMPROVEMENT               |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| WALL LININGS                              |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| - Restore old linings                     |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| - Replace with new linings                |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| CEILING LININGS                           |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| - Restore old linings                     |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| - Replace with new linings                |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| COMMENTS:                                 |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| <b>FEATURES</b>                           |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| WALL/CEILING (COVE, SCOTIA, CORNICE)      |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| - Keep existing                           |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| - Install new feature                     |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| WALL/FLOOR (SKIRTINGS)                    |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| - Keep existing                           |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| - Install new feature                     |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| DOOR/WINDOW SURROUNDS (ARCHITRAVES)       |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| - Keep existing                           |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| - Install new feature                     |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| CORNERS                                   |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| - Keep existing                           |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| - Install new rounded corners             |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| - Install new square corners              |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| LIGHTING                                  |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| - Keep existing light fittings            |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| - Replace existing light fittings         |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| - Install additional lights               |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| WINDOW COVERINGS                          |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| - Keep existing                           |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| - Install new                             |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| FLOOR COVERINGS                           |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| - Keep existing                           |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| - Install new                             |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| NEW WINDOWS/SKYLIGHTS                     |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
| COMMENTS:                                 |  |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |

**TICK WHICH ROOMS IN YOUR HOME YOU WOULD LIKE TO MAKE THIS IMPROVEMENT IN**

|             |          |         |         |         |                |           |           |           |        |        |        |             |              |                  |        |
|-------------|----------|---------|---------|---------|----------------|-----------|-----------|-----------|--------|--------|--------|-------------|--------------|------------------|--------|
| WHOLE HOUSE | BATHROOM | ENSUITE | KITCHEN | LAUNDRY | MASTER BEDROOM | BEDROOM 1 | BEDROOM 2 | BEDROOM 3 | LOUNGE | DINING | RUMPUS | HOME CINEMA | STUDY/OFFICE | HALLWAY/STAIRWAY | GARAGE |
|-------------|----------|---------|---------|---------|----------------|-----------|-----------|-----------|--------|--------|--------|-------------|--------------|------------------|--------|

**IMPROVEMENT REQUIRED**

**COMFORT AND HEALTH**

**INSULATION**

- Ceiling insulation
- Underfloor insulation
- Exterior wall insulation

- DOUBLE GLAZED WINDOWS
- THERMAL WINDOW COVERINGS
- DRAUGHT PREVENTION
- GROUND MOISTURE BARRIER
- ANTI-ALLERGENIC CARPET
- PASSIVE WINDOW VENTILATION

COMMENTS:

**WET AREAS:** EG. BATHROOM, ENSUITE, KITCHEN, LAUNDRIES, TOILETS

- EXTRACTOR FANS
- RANGEHOOD
- VENTED CLOTHES DRIER
- GIB AQUALINE® ON WALLS AND CEILINGS

COMMENTS:

**NOISE CONTROL**

- INTERNAL NOISE REDUCTION (eg. GIB Quiet Zone® Room/Walls)
- EXTERNAL NOISE REDUCTION (eg. GIB Quiet Zone® Room/Walls)
- UPSTAIRS NOISE REDUCTION (eg. GIB Quiet Zone® Floor/Ceiling)

COMMENTS:

**DAMAGE CONTROL**

- GIB TOUGHLINE® WALL LININGS
- SCRATCH RESISTANT/WASHABLE PAINT
- TOUGH CORNERS
  - Rounded GIB® Goldline™ Platinum trim corners
  - Square GIB® UltraFlex corners
- NEW PLUMBING PIPES (replace old galvanised)

COMMENTS:

**CONVENIENCE AND SAFETY**

- NEW ELECTRICAL WIRING (replace unsafe wiring)
- ADDITIONAL POWER POINTS
- ADDITIONAL LIGHT SWITCHES
- ADDITIONAL TV, PHONE, INTERNET OUTLETS/CABLES
- HOME CINEMA "WIRED IN"
- SMOKE ALARMS

COMMENTS:

**OTHER IMPROVEMENTS:** LIST OTHER IMPROVEMENTS REQUIRED

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_


**WHAT IS THE TOTAL BUDGET FOR YOUR RENOVATION?**

**WHAT LEVEL OF INVOLVEMENT DO YOU WANT IN THE MANAGEMENT OF YOUR RENOVATION?**

EG. DESIGN, MANAGING TRADESPEOPLE, SELECTING MATERIALS, PURCHASING MATERIALS, CONSTRUCTION.

\_\_\_\_\_

# Bathroom/Ensuite/Laundry




## COMMON PROBLEMS INCLUDE:

Mould and mildew, soggy linings, flaking paint, leaking plumbing and outdated appearance.

## RECOMMENDATIONS:

Remove old linings. Check plumbing and framing. Install a GIB Dry Zone® for protection against steam and moisture damage.

PRODUCT SPECIFICATION CHECKLIST: Specify what you would like in each room

| ITEM  | RECOMMENDATION   | BATHROOM                 | ENSUITE                  | LAUNDRY                  |
|---|--|--------------------------|--------------------------|--------------------------|
|  GIB Dry Zone® |  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ① Wall Linings  | 10mm GIB Aqualine®   | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ② Ceiling Linings   | 13mm GIB Aqualine®   | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ③ Wall Linings – if ceramic tiles on walls  | 10mm GIB Aqualine® for tiles up to 20.0kg/m <sup>2</sup>   | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|   | 13mm GIB Aqualine® for tiles up to 32.0kg/m <sup>2</sup>   | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ③ Ceramic Tiles on Walls  | Must use waterproof membrane under tiles in shower and splash areas  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ④ Heating Source  | 1.5kW Heater   | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑤ Wall Finish – water resistant   | Resene SpaceCote Low Sheen Kitchen and Bathroom or Resene Lustacryl (semi-gloss); solid vinyl wallpaper applied over Shur-Stik® latex size | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑥ Ceiling Paint Topcoat – water resistant   | Resene SpaceCote Low Sheen Kitchen and Bathroom  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑦ Insulation: Ceiling, External Walls, Raised Timber Floors                                     | Pink® Batts®   | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑧ Window Joinery  | Install security catches to windows or install Fletcher Aluminium Joinery Systems with in frame Passive ventilation system                 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑨ Extractor Fan – vented to outside   |  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑩ Safety Glass  |  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑪ Floor Surface   | Increased moisture resistant flooring substrate  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑪ Underlay for Tile, Vinyl, Timber Strip Floors   |  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑪ Emergency Drain in Floor  |  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

## Electrical and Lighting: USE THE SPACES BELOW TO LIST WHAT YOU WOULD LIKE WHERE

New Power Points and Light Switches:

New TV, Phone, Internet Outlets:

Lighting Changes:

Heated Towel Rail:

## Features: THE 'YOUR RENOVATION' GUIDE SHOWS A SELECTION OF FEATURE OPTIONS. USE THIS SPACE TO LIST YOUR CHOICES

Wall to Ceiling Feature:

Wall to Floor Feature:

Wall to Door/Window Feature:

Corner Feature:

Other Feature Choices:


## Finish: SEE THE 'YOUR RENOVATION' GUIDE FOR THE FUNDAMENTALS OF A QUALITY FINISH. SEE PAGE 16 OF THIS BOOK FOR LEVELS OF FINISH INFORMATION

Level of Finish:

Level 4

Level 5

# Kitchen




## COMMON PROBLEMS INCLUDE:

Damage from steam and moisture generated through activities such as cooking and dishwashing. Outdated appearance.

## RECOMMENDATIONS:

Remove old linings. Check plumbing and framing. Install a GIB Dry Zone® for protection against steam and moisture damage. GIB Aqualine® also has a superior fire rating compared to GIB® Standard plasterboard, offering added fire protection.

PRODUCT SPECIFICATION CHECKLIST: Specify what you would like in each room

| ITEM  | RECOMMENDATION  | KITCHEN                  |
|---|---|--------------------------|
|  GIB Dry Zone® |   | <input type="checkbox"/> |
| ① Wall Linings  | 10mm GIB Aqualine®  | <input type="checkbox"/> |
| ① Ceiling Linings   | 13mm GIB Aqualine®  | <input type="checkbox"/> |
| ② Rangehood – vented to outside   |   | <input type="checkbox"/> |
| ③ Wall Linings – if ceramic tiles on walls  | 10mm GIB Aqualine® for tiles up to 20.0kg/m <sup>2</sup>  | <input type="checkbox"/> |
|   | 13mm GIB Aqualine® for tiles up to 32.0kg/m <sup>2</sup>  | <input type="checkbox"/> |
| ③ Waterproof Membrane   | Must use waterproof membrane under tiles in splash areas  | <input type="checkbox"/> |
| ④ Window Joinery  | Install security catches to windows or install Fletcher Aluminium Joinery Systems with in frame Passive ventilation system                  | <input type="checkbox"/> |
| ⑤ Wall Finish – water resistant   | Resene SpaceCote Low Sheen Kitchen and Bathroom; or Resene Lustacryl (semi-gloss); solid vinyl wallpaper applied over Shur-Stik® latex size | <input type="checkbox"/> |
| ⑤ Ceiling Paint Topcoat – water resistant   | Resene SpaceCote Low Sheen Kitchen and Bathroom   | <input type="checkbox"/> |
| ⑥ Insulation: Ceiling, External Walls, Raised Timber Floors                                     | Pink® Batts®  | <input type="checkbox"/> |
| ⑦ Floor Surface   | Increased moisture resistant flooring substrate   | <input type="checkbox"/> |
| ⑦ Underlay for Tile, Vinyl, Timber Strip Floors   |   | <input type="checkbox"/> |

## Electrical and Lighting: USE THE SPACES BELOW TO LIST WHAT YOU WOULD LIKE WHERE

New Power Points and Light Switches:

New TV, Phone, Internet Outlets:

Lighting Changes:

## Features: THE 'YOUR RENOVATION' GUIDE SHOWS A SELECTION OF FEATURE OPTIONS. USE THIS SPACE TO LIST YOUR CHOICES

Wall to Ceiling Feature:

Wall to Floor Feature:

Wall to Door/Window Feature:

Corner Feature:

Other Feature Choices:


## Finish: SEE THE 'YOUR RENOVATION' GUIDE FOR THE FUNDAMENTALS OF A QUALITY FINISH. SEE PAGE 16 OF THIS BOOK FOR LEVELS OF FINISH INFORMATION

Level of Finish:

Level 4

Level 5

# Bedrooms/Study/Office/Home Cinema Room



**COMMON PROBLEMS INCLUDE:**  
 Noise from internal and external sources. Cold and dampness from lack of insulation or poor room orientation. Lack of power points, light switches and lighting and outdated appearance.

**RECOMMENDATIONS:**  
 Remove old linings. Install additional power points, light switches and lighting. Install a GIB Quiet Zone®, including insulation for warmth. Add new features, colours and furnishings.

**PRODUCT SPECIFICATION CHECKLIST:** Specify what you would like in each room

| ITEM   | RECOMMENDATION   | MASTER BEDROOM           | SECONDARY BEDROOMS       | STUDY/OFFICE             | HOME CINEMA ROOM         |
|--|--|--------------------------|--------------------------|--------------------------|--------------------------|
| GIB Quiet Zone®  |  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ① Wall Linings   | Two layers 10mm GIB® Noiseline® on one side of the wall and a single layer on the other                                    | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ① Insulation – all walls                               | Pink® Batts® Silencer®   | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ② Ceiling Linings                                      | One layer 13mm GIB Noiseline®  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ② Insulation – ceilings                                | Pink® Batts® (minimum R2.6 insulation in ceilings)   | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ③ Acoustic Sealant – to seal all gaps and penetrations | GIB Soundseal®   | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ④ Door   | Solid Core Door  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ④ Door Seals   | Acoustic Seals around door perimeter and floor seal on base of door  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑤ Glazing – acoustic glass windows                     |  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑤ Window Joinery                                       | Install security catches to windows or install Fletcher Aluminium Joinery Systems with in frame Passive ventilation system | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑥ Wall Finish  | Resene SpaceCote Low Sheet; any wallpaper  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑥ Ceiling Paint Topcoat                                | Resene SpaceCote Flat Fly Deterrent  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑦ Floor Surface  |  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑧ Curtains   | Soft heavy fabric curtains   | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

**Electrical and Lighting:** USE THE SPACES BELOW TO LIST WHAT YOU WOULD LIKE WHERE

New Power Points and Light Switches: \_\_\_\_\_ Dimmers and Sensors: \_\_\_\_\_

New TV, Phone, Internet Outlets: \_\_\_\_\_

Lighting Changes: \_\_\_\_\_

IMPORTANT: Downlights recessed into ceiling and power points or light switches placed back to back, will compromise noise control performance; avoid if possible.

**Features:** THE 'YOUR RENOVATION' GUIDE SHOWS A SELECTION OF FEATURE OPTIONS. USE THIS SPACE TO LIST YOUR CHOICES

Wall to Ceiling Feature: \_\_\_\_\_ Wall to Floor Feature: \_\_\_\_\_


Wall to Door/Window Feature: \_\_\_\_\_ Corner Feature: \_\_\_\_\_

Other Feature Choices: \_\_\_\_\_

**Finish:** SEE THE 'YOUR RENOVATION' GUIDE FOR THE FUNDAMENTALS OF A QUALITY FINISH. SEE PAGE 16 OF THIS BOOK FOR LEVELS OF FINISH INFORMATION

Level of Finish:  Level 4  Level 5

# Lounge/Dining




## COMMON PROBLEMS INCLUDE:

Outdated appearance, cracks and poor finish quality. Lack of power points, light switches and lighting. Cold and dampness from lack of insulation. Poor layout and heating.

## RECOMMENDATIONS:

To ensure wall and ceiling linings appear smooth and blemish free, avoid harsh lighting conditions and choose lighter coloured low sheen paint. Remove old linings and install GIB Ultraline® for walls and ceilings. Add new features, colours and furnishings. Add insulation, wool carpet and heating for warmth. Install additional power points, light switches and lighting.

PRODUCT SPECIFICATION CHECKLIST: Specify what you would like in each room

| ITEM  | RECOMMENDATION   | LOUNGE                   | DINING                   |
|---|--|--------------------------|--------------------------|
|  GIB Ultraline® Finish |  | <input type="checkbox"/> | <input type="checkbox"/> |
| ① Wall Linings  | 10mm GIB Ultraline®  | <input type="checkbox"/> | <input type="checkbox"/> |
| ② Ceiling Linings   | 13mm GIB Ultraline® PLUS   | <input type="checkbox"/> | <input type="checkbox"/> |
| ③ Insulation: Ceilings, Walls, Raised Timber Floors   | Pink® Batts®   | <input type="checkbox"/> | <input type="checkbox"/> |
| ④ Wall Finish   | Resene SpaceCote Low Sheen; any wallpaper  | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑤ Ceiling Paint Topcoat   | Resene SpaceCote Flat Fly Deterrent  | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑥ Wall / Ceiling Junction   | GIB-Cove®  | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑦ Wall to Wall Corners  | GIB® Goldline™ Platinum trims  | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑧ Window Joinery  | Install security catches to windows or install Fletcher Aluminium Joinery Systems with in frame Passive ventilation system       | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑧ Glazing – UV resistant glass  |  | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑨ Floor Surface   |  | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑩ External Door Joinery   | Fletcher Aluminium Foldback® Bifolds for maximum opening or Euroslide® or Eurostacker™ with sleek, easy clean flat surface sills | <input type="checkbox"/> | <input type="checkbox"/> |

## Electrical and Lighting: USE THE SPACES BELOW TO LIST WHAT YOU WOULD LIKE WHERE

New Power Points and Light Switches:

Dimmers and Sensors:

New TV, Phone, Internet Outlets:

Lighting Changes:

## Features: THE 'YOUR RENOVATION' GUIDE SHOWS A SELECTION OF FEATURE OPTIONS. USE THIS SPACE TO LIST YOUR CHOICES

Wall to Ceiling Feature:

Wall to Floor Feature:

Wall to Door/Window Feature:

Corner Feature:

Other Feature Choices:

## Finish: SEE THE 'YOUR RENOVATION' GUIDE FOR THE FUNDAMENTALS OF A QUALITY FINISH. SEE PAGE 16 OF THIS BOOK FOR LEVELS OF FINISH INFORMATION

Level of Finish:

Level 4

Level 5

# Hallway/Stairway/Garage/Rumpus Room




## COMMON PROBLEMS INCLUDE:

Damage from wear and tear in these high use areas.  
Lack of power points, light switches and lighting.

## RECOMMENDATIONS:

Remove old linings and install a GIB Tough Zone® solution for walls to keep walls looking good longer and GIB Ultraline® for ceilings for a quality finish. Install additional power points, light switches and lighting.

PRODUCT SPECIFICATION CHECKLIST: Specify what you would like in each room

| ITEM  | RECOMMENDATION   | HALLWAY                  | STAIRWAY                 | GARAGE                   | RUMPUS ROOM              |
|---|--|--------------------------|--------------------------|--------------------------|--------------------------|
|  GIB Tough Zone® |  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ① Wall Linings  | 13mm GIB Toughline®  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ② Ceiling Linings   | 13mm GIB Ultraline® PLUS   | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ② Ceiling Paint Topcoat   | Resene SpaceCote Flat Fly Deterrent                                      | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ③ Wall Finish – scratch resistant   | Resene SpaceCote Low Sheen; any textured solid vinyl wallpaper           | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ④ Skirtings and Architraves   | Solid timber   | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑤ Glazing – safety glass  |  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑤ Glazing – UV resistant glass  |  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑥ Doors   | Internal: solid core doors; External: Fletcher Aluminium Joinery Systems | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑥ Door Stops  |  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑦ Wall Corners  | GIB® Goldline™ Platinum trims  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑧ Window Joinery with toughened reveal and architrave   | Fletcher Aluminium Joinery Systems with hardwood timber reveals          | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑨ Floor Surface – graded wool carpet  |  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| ⑨ Underlay for Tile, Vinyl, Timber Strip Floors   |  | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

## Electrical and Lighting: USE THE SPACES BELOW TO LIST WHAT YOU WOULD LIKE WHERE

New Power Points and Light Switches: \_\_\_\_\_ Dimmers and Sensors: \_\_\_\_\_

New TV, Phone, Internet Outlets: \_\_\_\_\_

Lighting Changes: \_\_\_\_\_

## Features: THE 'YOUR RENOVATION' GUIDE SHOWS A SELECTION OF FEATURE OPTIONS. USE THIS SPACE TO LIST YOUR CHOICES

Wall to Ceiling Feature: \_\_\_\_\_ Wall to Floor Feature: \_\_\_\_\_

Wall to Door/Window Feature: \_\_\_\_\_ Corner Feature: \_\_\_\_\_

Other Feature Choices: \_\_\_\_\_

## Finish: SEE THE 'YOUR RENOVATION' GUIDE FOR THE FUNDAMENTALS OF A QUALITY FINISH. SEE PAGE 16 OF THIS BOOK FOR LEVELS OF FINISH INFORMATION

Level of Finish:  Level 4  Level 5